











# GP Component

REV.	ECN NO.	LOCATIONS	DESCRIPTION	DATE	DESIGN
A0			Initial	2016/09/29	Phebe Su
A1			Current Rating:1.0Amp	2016/09/30	Phebe Su
A2			Add DIM	2019/07/05	Phebe Su



Specifications  
 Current Rating:1.0Amp  
 Insulation Resistance:1000MΩ Min.  
 Dielectric Withstanding Voltage:300VAC  
 Contact Resistance:35mΩ Max.  
 Operating Temperature:-55° to +105°  
 Materials  
 Contact Material:Phosphor Bronze  
 Insulator Material:High Temperature Thermoplastic, UL 94V-0  
 Nylon 6T(Halogen Free) or the equivalent material

MATRIX PART NO:



Matrix Electronics Co.,Ltd

TOLERANCE: X:X X:XX ±0.15 X:XXX ±0.100 X:XXX ±0.05 ANGLE: ±3°	DESIGN BY : Phebe Su	DATE : 2019/07/05	PART NAME: PITCH 1.27 SCSCI MALE RIGHT ANGEL TYPE SERIES
APPROVED BY1: Richard Hsieh	CHECKED BY: Vicky Hsieh	DATE : 2019/07/05	PART NO. MSCSM20-08-15-RS
APPROVED BY2: Richard Hsieh	DATE : 2019/07/05	MOLD NO. NA	
UNIT: mm [inch] SCALE:1:1 SIZE:A4	DATE : 2019/07/05	DRAW NO.	SHEET NO. 1 OF 1